

- Extremely
- Quite a bit
- Somewhat
- A little bit
- Not at all

98 **Trigger Readiness to Change OGI**

- Yes
- No

99 **End of assessment**

- End of Assessment

100 **Copyright © 2016 UnitedHealth Group. All Rights Reserved. Any use, copying or distribution without written permission from UnitedHealth Group is prohibited. Kroenke, K., Spitzer, R. L., & Williams, J. B. (2003). Kroenke, K., Spitzer, R. L., & Williams, J. B. (2001). The PHQ-9. Journal of general internal medicine, 16(9), 606-613. Developed by Drs. Robert L. Spitzer, Janet B.W. Williams, Kurt Kroenke and colleagues, with an educational grant from Pfizer Inc. No permission required to reproduce, translate, display or distribute. The AUDIT alcohol consumption questions (AUDIT-C): an effective brief screening test for problem drinking. Archives of internal medicine, 158(16), 1789. " World Health Organization 2001. This document is not a formal publication of the World Health Organization (WHO), and all rights are reserved by the Organization. The document may, however, be freely reviewed, abstracted, reproduced, and translated, in part or in whole but not for sale or for use in conjunction with commercial purposes."Adapted with permission from Kroenke K, Spitzer RL, Williams JB, et al. Anxiety disorders in primary care: prevalence, impairment, comorbidity, and detection. Ann Intern Med. 2007; 146(5):W77.**

Next